Pulses as a Sustainable Protein Source

Dr. Fatma Boukid
Food Scientist | Senior Project Manager
Clonbio Group Ltd., Ireland

Outline

- Introduction: The Protein Challenge
- Pulse Protein Characteristics & Functional Properties
- Processing and Functionality Enhancement
- Nutritional and Health Value
- Market Insights into Pulse Proteins in Food Systems
- Environmental Benefits
- Conclusion and Future Directions

Introduction & Global Context

Feeding a Growing World: The Protein Challenge

Planetary Health

High livestock emissions

Climate impact

Unsustainable production

Human Health

Unequal access to quality protein

Malnutrition risk

Overconsumption vs. deficiency

Food Security

Rising demand

Resource depletion

Declining fish stocks

Feed vs. food competition

Why Pulses?

Nutrient-Rich

Health Benefits

Functional & Versatile

Sustainable

Accessible &
Affordable

Pulses and the Sustainable Development Goals (SDGs)

- **SDG 2 – Zero Hunger:** Provides affordable, nutrient-rich protein and micronutrients.
- **SDG 3 – Good Health & Well-being:** Supports heart health, glycemic control, and overall nutrition.
- **SDG 8 – Decent Work & Economic Growth:** Creates income and livelihood opportunities for farmers.
- **SDG 12 – Responsible Consumption & Production:** Low resource footprint; promotes sustainable food production.
- **SDG 13 – Climate Action:** Fixes nitrogen naturally, reducing fertilizer use and emissions.
- **SDG 15 – Life on Land:** Enhances soil fertility, biodiversity, and sustainable land use.

Pulse Protein Characteristics & Functional Properties



Pulses as Protein-Rich Seeds

Lupin: 35–40%

Faba bean: 26–30%

Lentil: 24–26%

Cowpea: 22–25%

Pea: 21–25%

Common bean: 21–23%

Chickpea: 20–22%

Mung bean: 23–25%

Pigeon pea: 20–22%

Protein Structure

- Protein composition
  - **Albumins (10–20%)**
  - **Globulins (70–80%)**
    - 7S Globulin
      - **7S Vicilin** trimeric, lacks cysteine – low disulfide bonding
      - **Convicilin,** storage protein supporting **seed development**
    - 11S Globulin
      - **11S Legumin** hexameric, disulfide-linked – contributes to gel formation
  - **Prolamins**

Protein Structure

Molecular Hierarchy



Amino acid sequence

α-helices & β-sheets →Affects solubility

3D folding →Creates hydrophilic/hydrophobic zones

Subunit assembly e.g., 11S hexamer vs 7S trimer – key for texture

Functional Properties

Solubility:
Varies with pH, ionic strength, and processing

Emulsification:
Surface-active proteins stabilize oil–water interfaces

Foaming:
Air entrapment via flexible protein films

Gelation:
Heat-induced network formation (texture & structure)

Water & Oil Binding:
Improves texture and mouthfeel

Structure–Function Relationship

Protein Aspect	Structural Feature	Functional Outcome
Albumins	**Water-soluble, compact**	High solubility, foaming
Globulins (Vicilin, Legumin)	**Salt-soluble, 7S & 11S oligomers**	Gelation, emulsification, water/oil holding
Secondary & tertiary structure	**α-helices, β-sheets, folding**	Heat stability, digestibility, texture
Minor prolamins	**Hydrophobic regions**	Limited functional contribution, seed storage

Processing and Functionality Enhancement

Pulse Seed to Functional Protein Ingredients

Pulses seeds | **Pre-processing** | **Protein extraction** | **Post processing** | **Protein-rich ingredients**

Pulses seeds

Protein-rich (20–40%)

Pre-processing

Cleaning, dehulling, milling, optional thermal treatment

Protein extraction

- Wet Extraction
- Dry Fractionation
- Emerging method

Post processing

- Enzymatic hydrolysis
- Physical treatments
- Fermentation

Protein-rich ingredients

- Concentrates
- Isolates
- Texturized proteins

Key Preprocessing Steps



Preprocessing of pulses is critical to **optimize protein yield, functionality, and digestibility**. It reduces anti-nutritional factors, improves extractability, and modulates protein fractionation.

Cleaning & Sorting

- Removes foreign materials, dirt, and damaged seeds.
- Enhances extraction efficiency and downstream processing quality.

Dehulling

- Reduces fiber content and antinutritional factors.
- Increases protein accessibility for extraction.

Milling

- Particle size controls protein solubilization kinetics.
- Smaller particles → higher protein yield, but may affect functional properties.

Thermal Conditioning

- Causes partial protein denaturation, improving solubility and extractability.
- Inactivates trypsin inhibitors and lectins

Wet Process for Pulse Protein Extraction



Dry Fractionation

Mechanism: Physical separation using **air classification** or **electrostatic forces**.



Protein concentrates (~50–60%)

Parameters: Particle size, airflow velocity, humidity, charge density.

Emerging & Green Extraction Technologies

Optimization requires balancing **purity, yield, structure retention, and energy use**.

Technology	**Mechanism**	**Advantages**	**Technical Considerations**
Enzyme-Assisted Extraction	Hydrolyzes cell walls and matrix proteins	↑ Yield, mild, selective	Enzyme cost, process time
Ultrasound-Assisted Extraction	Cavitation → disrupts cells	↑ Extraction efficiency, reduced pH/heat	May induce partial denaturation
Membrane Filtration (Ultrafiltration / Diafiltration)	Selective separation based on size	Concentrates protein, preserves native structure	Fouling, flux limitation
High-Pressure or Supercritical Fluids	Solvent-free cell disruption	Eco-friendly, selective	High capital investment

Protein Functionalization

Goal: Tailor protein ingredients for specific food application (texture, stability, nutrition)

Enzymatic Hydrolysis

Produces peptides →
↑ solubility, bioactivity (antioxidant, antihypertensive).

Physical Treatments

Ultrasound, extrusion, high-pressure processing → unfold proteins, expose hydrophobic/hydrophilic regions

Fermentation

Degrades antinutritional factors → improves digestibility and amino acid availability.

Chemical Modifications

Glycation / acetylation → enhances thermal stability, modifies emulsifying/gelling properties.

Nutritional and Health Value

Amino Acid Profile

Essential Amino Acid Composition of Pulses (g/100 g protein)

Amino Acid	Pea	Chickpea	Lentil	Mung Bean	Lupin	Cowpea	Faba Bean	Pigeon Pea
Isoleucine	0.4–4.9	0.4–4.1	0.5–5.0	1.0–4.7	1.2–3.2	4.3–4.4	1.1–4.3	4.8
Leucine	1.3–8.4	0.5–7.0	0.8–7.9	1.8–8.4	2.0–7.4	7.1–7.5	2.0–8.2	7.5
Lysine	**1.4–7.7**	**0.9–7.7**	**0.5–7.2**	**1.7–4.2**	**1.2–7.6**	**3.9–6.6**	**1.9**	**4.4**
Methionine	**0.2–3.3**	**0.1–1.9**	**0.1–2.9**	**0.3–1.9**	**0.2–0.3**	**1.2–1.3**	**0.2–0.8**	**1.2**
Phenylalanine	0.2–8.1	0.4–5.9	0.6–7.8	1.1–5.7	1.0–3.3	4.0–5.6	1.2	3.9
Threonine	0.9–4.5	0.1–3.6	0.6–3.8	0.8–3.2	1.0–4.3	2.5–3.7	1.0–13.0	2.8
Tryptophan	0.2–1.0	0.2–1.1	0.7–0.8	0.3–1.0	0.2–0.3	0.3–1.1	0.2–1.1	NR
Valine	0.4–5.2	0.4–3.8	0.7–5.3	1.2–5.2	1.1–3.5	4.6–4.9	1.2	4.7
Arginine	**1.2–8.7**	**0.5–10.3**	**0.9–7.8**	**1.7–6.3**	**2.8–10.9**	**7.3**	**2.6–10.3**	**NR**
Histidine	0.5–2.8	0.2–3.4	0.4–3.4	0.7–3.6	0.7–3.1	2.8–3.5	0.9–2.7	4.0

Amino Acid Profile

Non-Essential Amino Acid Composition of Pulses (g/100 g protein)

Amino Acid	Pea	Chickpea	Lentil	Mung Bean	Lupin	Cowpea	Faba Bean	Pigeon Pea
Alanine	0.8–4.8	0.3–4.8	2.0–4.2	3.5–4.4	0.9–2.8	3.7–4.3	1.2–4.2	4.5
Aspartic acid	**2.1–11.9**	**0.6–11.4**	**1.1–11.3**	**8.4–13.5**	**2.8–8.4**	**7.8–11.9**	**3.1**	**8.2**
Cystine	**0.4–1.6**	**1.3–2.3**	**0.0–1.0**	**0.8–1.8**	**0.3–0.6**	**1.0–1.8**	**0.4–1.9**	**2.2**
Glutamic acid	**2.9–18.5**	**1.7–17.3**	**2.4–15.1**	**6.1–21.7**	**6.2–26.1**	**6.0–18.5**	**4.6–13.0**	**6.2**
Glycine	**0.8–4.8**	**0.3–4.1**	**1.0–4.8**	**4.1–4.3**	**1.0–3.7**	**4.1–4.2**	**1.2–4.2**	**4.6**
Proline	**0.8–4.6**	**0.2–4.6**	**0.9–3.8**	**2.8–4.2**	**1.1–4.3**	**2.8–3.6**	**1.2–3.9**	**3.0**
Serine	0.8–5.7	0.1–4.9	1.1–4.9	2.5–5.0	1.3–6.0	2.6–5.6	1.3	2.7
Tyrosine	0.6–3.8	0.2–3.7	0.5–3.2	3.3–3.4	1.0–4.3	3.2–5.0	0.9	3.2

Key Takeaways: Amino Acid Balance in Pulses



Combining legumes with grains enhances essential amino acid balance, improving the nutritional adequacy and sustainability of plant-based diets.

Protein digestibility

How efficiently the body breaks down and absorbs amino acids from pulse proteins?

Digestibility is affected by:

- **Antinutritional factors** (e.g., tannins, trypsin inhibitors, phytic acid, lectins)
- **Protein structure** and degree of denaturation
- **Processing methods** (e.g., soaking, cooking, extrusion, fermentation)
- **Interactions with other food components** (fiber, starch, polyphenols)

Digestibility and Quality Metrics

Isolate	Digestibility (%)	PDCAAS	DIAAS
Pea	90–95	0.82–0.89	0.78–0.85
Chickpea	88–92	0.80–0.87	0.75–0.82
Lentil	90–93	0.81–0.88	0.77–0.84
Mung bean	90–95	0.83–0.88	0.79–0.85
Lupin	92–96	0.88–0.93	0.84–0.90
Cowpea	88–92	0.78–0.85	0.73–0.80
Faba bean	89–93	0.80–0.86	0.76–0.82
Pigeon pea	88–91	0.78–0.84	0.73–0.80

- *Digestibility:* ~88–96%
- *PDCAAS:* 0.78–0.93
- *DIAAS:* 0.73–0.90

Challenges in Determining Protein Digestibility of Pulses

Model limitations

- **In vivo:** Accurate but costly and variable
- **In vitro:** Faster but depends on enzyme system, pH, digestion time
- **Ex vivo:** Intermediate realism

Method dependency

- Different labs use different protocols → inconsistent results

Anti-Nutrients and Their Effect on Digestibility



Reduction Strategies

- Processing: Soaking, blanching, fermentation, enzymatic hydrolysis, heat treatment (roasting, extrusion)
- Modern breeding (low-phytate, low-tannin varieties)

Allergenicity & Pulse Proteins

Origin

- Some pulse storage proteins (vicilins, legumins) can trigger allergic reactions.
- Cross-reactivity reported with soy and peanut allergens.
- True pulse allergies remain relatively uncommon.

Mitigation

- **Breeding:** Selection of low-allergen genotypes and protein profile modification.
- **Processing:** Heat, fermentation, enzymatic hydrolysis reduce allergenic potential, though not fully eliminate it.

Labelling

- Complete allergen declaration
- Transparency in multi-protein blends and novel isolates.

Fiber Content and Effects in Pulse Proteins

Fiber amount varies by product

Isolates: Minimal fiber (<2%)

Concentrates: Moderate fiber (~5–10%)

Less refined powders: Higher fiber (10–15%)

Nutritional effects

Promotes **gut health** and beneficial microbiota

Enhances **satiety** and may improve **glycemic response**

Contributes to **dietary fiber intake** in plant-based diets

Functional effects in foods

Can **increase viscosity** in liquids

May affect **texture and mouthfeel** in formulations

Insoluble fiber may reduce clarity in beverages

Heavy Metals in Pulse Proteins

Online discussions often amplify concerns, creating disproportionate fear despite low measured levels.

- **Sources:** Absorbed from soil (cadmium, lead, mercury); may concentrate during processing.
- **Health relevance:** Commercial pulse protein powders are generally safe; risks occur only with high-dose consumption or contaminated sources.

Mitigation:

- Source ingredients from tested, low-metal soils
- Monitor and optimize processing



Health Benefits

Muscle Maintenance & Growth

Rich in **BCAAs** (leucine, isoleucine, valine) → supports **muscle synthesis**

Cardiometabolic Health

Lowers cholesterol

High arginine → improves vascular function

Modulates glycemic response

Weight & Satiety

High protein→ enhances satiety hormones (GLP-1, PYY)

Supports reduced energy intake

Digestibility & Hypoallergenicity

Naturally free from dairy, soy, gluten, nuts

Isolates reduce anti-nutrients → better digestibility

Additional Functional Benefits

Bioactive peptides → antioxidant, antihypertensive, immune support

Pulse Proteins in **Balanced Diets**

Vegan / Vegetarian

Sport Athletes

Allergy / Intolerance

Gluten-Free/low Carb Diet

Infant / Early Nutrition

Senior Nutrition

Market Insights into Pulse Proteins in Food Systems

Evolution of Pulse Ingredients Use in Food Lunches

From 2000 to 2024: 291,644 food products made with pulses



INNOVA MARKET INSIGHTS

Region


West Europe
Asia
North America
East Europe
Latin America
Australasia
Middle East
Africa
37.17 %
25.10 %
18.07 %
6.52 %
5.16 %
3.30 %
2.56 %
2.13 %

Country



United States
United Kingdom
China
India
Germany
France
Japan
Netherlands
Italy
Spain
44,506
25,829
18,516
18,222
15,646
14,933
10,401
9,565
8,490
8,378
0
5000
10000
15000
20000
25000
30000
35000
40000
45000
50000
# of product launches

Pulse sources

Last 5 years: 122,408 Products



Pulse ingredients



Key Food Applications: Focus on last 5 years

Last 5 years: 122,408 Products



Sensory & Formulation Challenges



Color & Flavor

Color: Natural pigments (carotenoids, flavonoids) influence visual appeal in neutral matrices

Off-Flavor:

- **Naturally present:** Beany, earthy notes inherent to some pulses.
- **Process-induced:** Lipid oxidation, Maillard reactions, or enzymatic activity can create off-flavors.

Mitigation strategies:

- Bleaching
- Enzymatic treatment
- Fermentation
- Masking agents or flavoring

Solubility & Dispersibility

Challenge: Pulse proteins are globular; aggregation can occur during extraction or thermal processing.

Impact: Limits solubility in aqueous systems, affecting clarity, viscosity, and protein delivery.

Current solutions:

- Enzymatic hydrolysis (partial, controlled)
- Optimized pH, temperature, and shear during processing

Texture & Processing Sensitivity

Denaturation: Enhances binding in meat analogues but may reduce solubility in beverages.

+

Matrix interactions: Protein interacts with starch, fibers, lipids; affects gelation, emulsification, and mouthfeel.

↓

Current strategies: Controlled thermal treatment, co-formulation with hydrocolloids or fibers, tailored extrusion/gelation protocols.

Functional Variability

Composition variability: Commercial pulse proteins have variable protein content, amino acid profile, and functional properties.

Implication: Functional performance differs in emulsions, gels, beverages, and meat analogues.

Solution:

- Ingredient standardization
- Blending different pulse proteins for target functionality
- Formulation-specific optimization for solubility, gelation, or emulsification



Environmental Aspects

Low Greenhouse Gas Emissions



Pulses emit **<1 kg CO_2-eq/kg protein**, compared with **>25 kg CO_2-eq** for beef

Water Use



Water footprint often **5–10 times lower** than that of animal-derived proteins.

Land use



Pulses occupy ~**10 times less** land than cereals

Nitrogen Fixation & Soil Health

Host *Rhizobium* bacteria in root nodules → convert atmospheric N_2 into bioavailable forms.

Reduce synthetic fertilizer use, lowering nitrous oxide (N_2O) emissions.

Enhance **soil organic matter** and **microbial biodiversity**.

Improve **soil structure and fertility.**



Pulses in Crop Rotation Systems

- Break pest and disease cycles.
- Enhance **nutrient cycling** and **yield stability** of following crops.
- Diversify farmer income streams and reduce production risks.
- Support **agroecosystem resilience** under climate stress.

Conclusion

Pulses: Simple seeds with big impacts

Nutrition

- High-quality plant protein, essential amino acids, supports muscle, cardiometabolic health, and weight management

Functionality

- Solubility, gelation, emulsification, foaming; can be tailored via enzymatic, physical, fermentation, or chemical methods

Sustainability

- Low environmental footprint, nitrogen fixation, reduced land & water use, supports climate-friendly diets

Innovation

- Emerging extraction technologies, protein fractionation, functionalization, plant-based food applications

Pulse Protein Outlook: Intelligence Meets Innovation

AI & Scientific Breakthroughs

• AI-driven extraction & formulation
• ML predicts **functionality & consumer acceptance**
• Smart bioprocessing boosts **yield & digestibility**

Agricultural Innovations

• Precision farming & AI analytics
• **Resilient cultivars** for drought & pests
• **Blockchain traceability** from seed to shelf

Food Applications

• Next-gen **meat & dairy alternatives**
• **Hybrid protein systems** for better nutrition
• Functional & **clean-label foods**

Thank you for your attention!

Fatma Boukid
Email: fboukid@clonbioeng.com